McGEE COMPANY

CALL 1-800-525-8888 to place your order!
www.mcgeecompany.com

BUYER'S GUIDE

YOUR ONE SOURCE FOR QUALITY BRAND NAME
EQUIPMENT, TOOLS & SUPPLIES FOR THE TIRE INDUSTRY

AUTOMOTIVE SERVICE EQUIPMENT

Alignment Equipment & Tools
- Hunter
- Specialty Products
- Cemb
- JBC

Air Compressors & Accessories
- Quincy
- Champion
- Hankison
- Wilkerson
- Becker

Balancing Equipment
- Coats
- Cemb
- Hunter

Battery & Starting Equipment
- Schumacher
- Associate

Brake Equipment
- Ammco
- Accuturn
- Hunter

Tire Changing & Handling Equipment
- Coats
- Hunter
- Branick
- Kentool
- AMI

Diagnostic & AC Equipment
- OTC
- RTI
- Robinair

Air Tools
- C/P
- Ingersoll Rand

Lifting Equipment
- Rotary
- Forward
- Norco
- OTC
- AFF

Lubrication Equipment
- Graco
- Balcrank
- Highland Tank

Retreading Equipment & Rubber
- Jet
- Monarch
- Cincinnati
- Vulcan

Retread Supplies
- Pincott
- B&J
- Presti
- Robbins

Tire Chains
- LaClede
- Autosock

Tire Repair
- Rema
- Prema
- Jet
- Tech

Valve Hardware
- Schrader
- Haltec
- Dill

Wheel Weights
- Ascot

Tire Studs & Equipment
- Ugigrip
- OKU

Additional Products
- Calcium Pumps
- Parts Washers
- Tire Mounting Compound
- Welding Equipment
- Headlight Aimers
- Hose Reels
- Spring & Strut Service Equipment
- Tire Inspectors & Spreaders
- Tire Storage Rack
- Alignment Shims & Bushings
- Exhaust Hose
- Hand Cleaner
- Wheel Studs & Nuts
- Molnlycke Wipes
- Reconditioned Equipment
- Impact Sockets

Tire Service Supplies • Retread Equipment & Supplies
Passenger - Truck - OTR

McGee Company

YouTube

Denver (HDQTR)
1140 South Jason St.
Denver, CO 80223
(800) 525-8888
(303) 777-2615
FAX (303) 777-7140

Salt Lake City
1101 S. 700 West
Salt Lake City, UT 84104
(800) 525-8888
(801) 487-8751
FAX (801) 487-8753

Albuquerque
4412 Prospect NE
Albuquerque, NM 87110
(800) 525-8888
(505) 883-9613
FAX (505) 883-1382

Dallas
8504 Chancellor Row
Dallas, TX 75427
(800) 525-8888
(214) 689-0400
FAX (214) 689-0448

www.McGeeCompany.com

MCGEE COMPANY

Your authorized ASCOT distributor.
McGee Company puts the pieces together for you!

THE COMPANY

McGee Company is a family owned business that cares about your business success. Since 1951, McGee Company has been a leading supplier in the automotive market. Between our four warehouse locations in Denver, Salt Lake City, Dallas and Albuquerque, we carry the largest inventory of equipment and supplies to serve the tire dealer, automotive service facility, and retreader.

PICKING PRODUCT

It's an art as well as a science! For more than 50 years, McGee Company has carefully researched each product line. Products are tested under severe conditions to guarantee the customer is receiving the best. We look for new ideas that work right and make your job easier.

ONE SUPPLIER

Our broad range of products offers you a single source for all your equipment and supply needs.

PEOPLE

Ours make the difference for you! They're friendly and trained to help. The average sales representative has been with the company for eight years.

FAST AND EASY

Convenient online ordering. You can call in your order from 8 a.m. to 5 p.m., Monday through Friday. We maintain the largest inventory of the items listed in our catalog in the Rocky Mountain area.

TRAINING

Numerous seminars are offered on an ongoing basis. Denver now has an expanded training facility. A few seminars coming up are: proper tire repair, alignment training, equipment maintenance, and TPMS.

NATIONAL SUPPORT

We are supported by 34 Ascot warehouses nationally. Our membership in Ascot gives you the benefit of buying power, large inventory and diverse product lines.

LEASE PROGRAMS

Call us for fast, easy and affordable lease deals on equipment. Tell us about your needs and we will give you lease information.

WEB PAGE

Learn more about the company today. Visit us on the web at www.mcgeecompany.com. Check out our online shopping.

TERMS AND CONDITIONS OF SALE

OPEN ACCOUNT
Open account terms of net 10th prox are available with approved credit. Otherwise orders will be sent C.O.D. or on a cash with order basis. Orders under $20.00 are subject to a $5.00 handling charge.

PRICES
Subject to change without notice.

FREIGHT
All prices are F.O.B. our warehouse unless otherwise specified.

PRODUCT WARRANTY
Manufacturer's warranty applies on all items. Warranty of certain items apply only after inspection by the manufacturer.

SALES TAX
McGee Company will bill applicable state and local sales tax on every item, unless a sales tax exemption certification has been provided by the customer.

RETURNING MERCHANDISE
Merchandise is eligible for credit or exchange if the following conditions are fulfilled:
1. Authority for return has been received.
2. Shipping instructions have been followed.
3. All returned merchandise must be accompanied by a notice indicating date of purchase and the invoice number.

DAMAGED SHIPMENT
Please inspect shipments before signing the freight bill. A damaged or incomplete shipment should be noted on the freight bill. A claim should be filed with carrier immediately.

SHIPPING ERRORS
Any errors in shipping should be reported to McGee Company within 48 hours of delivery.

CREDIT CARDS
We accept MasterCard, VISA credit cards.

McGee Company

Denver (HDQTR)
1140 South Jason St.
Denver, CO 80223
(800) 525-8888
(303) 777-2615
FAX (303) 777-7140

Salt Lake City
1101 S. 700 West
Salt Lake City, UT 84104
(800) 525-8888
(801) 487-8751
FAX (801) 487-8753

Albuquerque
4412 Prospect NE
Albuquerque, NM 87110
(800) 525-8888
(505) 883-9613
FAX (505) 883-1382

Dallas
8504 Chancellor Row
Dallas, TX 75427
(800) 525-8888
(214) 689-0400
FAX (214) 689-0448

www.McGeeCompany.com

AUTOMOTIVE SERVICE EQUIPMENT

DENVER
1140 S. Jason Street
Denver, Colorado 80223



ALBUQUERQUE
4412 Prospect Avenue, NE
Albuquerque, New Mexico 87110



SALT LAKE CITY
1101 South 700 West
Salt Lake City, Utah 84104



DALLAS
8504 Chancellor Row
Dallas, Texas 75427



McGee Company

Denver (HDQTR)
1140 South Jason St.
Denver, CO 80223
(800) 525-8888
(303) 777-2615
FAX (303) 777-7140

Salt Lake City
1101 S. 700 West
Salt Lake City, UT 84104
(800) 525-8888
(801) 487-8751
FAX (801) 487-8753

Albuquerque
4412 Prospect NE
Albuquerque, NM 87110
(800) 525-8888
(505) 883-9613
FAX (505) 883-1382

Dallas
8504 Chancellor Row
Dallas, TX 75427
(800) 525-8888
(214) 689-0400
FAX (214) 689-0448

www.McGeeCompany.com

SERVICE AND INSTALLATION OF AUTOMOTIVE LIFTS, AIR COMPRESSORS, LUBRICATION EQUIPMENT

- Established 1951
- Factory trained technicians
- Fully equipped service trucks
- Largest stock of service parts for Rotary, Graco, and Quincy in the Rocky Mountain Region.

Contact Us

Monday - Friday,

7 a.m. - 5 p.m.

Emergency Service Available

1-800-525-8888 Toll Free

1-303-777-2750

1158 South Jason Street
Denver, CO 80223
airmac@mcgeecompany.com

Service Available throughout Colorado

Airmac specializes in servicing Rotary lifts, Quincy compressors and Graco lubrication equipment. We have factory certified technicians, trained to manage your service and installation needs. Airmac operates a large fleet of stocked service vehicles.

Factory authorized service center for the companies listed below.

Turn Key Installation

Turn key installation is one of our specialties. Do you need to have new or existing lubrication equipment, lifts or compressors installed? Our technical specialists can design and install your system. Call for your free site consultation.

Rentals

AirMac stocks rental compressors ready to go. Call us to discuss your emergency or temporary air needs.

Maintenance Agreements

Proper compressor and lift maintenance is critical to long, dependable equipment life. We can tailor a maintenance agreement to meet your needs. A selected maintenance time interval based on operating hours will help us arrange a service schedule. Compressors will be inspected, while oil and filters will be changed as needed. If synthetic oil is used, we can analyze your oil to make corrective adjustments. Lifts will be inspected for safe operation. A summary of recommended repairs is provided at each service date.

Quick Service

AirMac understands that down time costs you money. Emergency service on your equipment is offered. We will work to get your equipment back in service as quickly as possible. If your equipment is down for an extended period of time, our technicians will work to match your needs with our rental equipment.

The World's Most Trusted Lift . . .

Since 1925, Rotary Lift has built quality in to everything we do. As the oldest U.S. lift manufacturer, our lifts are built and cycle tested for years of trouble-free service. Rotary lifts are backed by full warranty and are supported by McGee Company.

10,000-18,000 lb. 2 Post

Symmetrical Design

Wider drive-thru — perfect for trucks and vans



Vehicle Center of Gravity

Narrow Bay and Low Ceiling Model Available!

Model shown:
SPO15N310BL

15,000 lbs. Capacity

3 Stage Arms for Added Reach! Low Ceiling Available!

Model shown:
SPO12N7T0BL

12,000 lbs. Capacity

Lifts shown with optional accessories

Arm Adapters Packages

10,000 lb. capacity lift:
Three-Stage Flip-Up Adapters with built-in truck adapters on standard arms

12 to 18,000 lb. capacity lift:
Thread Up Stackable Inserts designed for heavier vehicles, (additional stack adapters available)

TA Adapters also available for 10,000 lb. capacity lift

- "Double S" column design maximizes the strength of the column and surface contact area of the bearings
- Single point lock release disengages the locks at the same time
- Full stroke cylinders in each column
- Arm restraints on each arm engage when the vehicle is lifted
- 3-position spotting dish

The new Y12 lift - general service or alignment
Call today for details 800-525-8888

Two Post Lifts in McGee Inventory

Shown with optional accessories

ROTARY
10,000 lbs. - SPOA10
Asymmetrical Lifts

Face it — asymmetricals are in. Especially Rotary's. Because not only do our asymmetricals give you the most advanced design to avoid damaging your customers' car doors — they give you the most features.

Unlike a parallelogram, the YA12 provides true up/down lifting. There is no forward or rearward movement reducing valuable bay space.

Y12-Wide Wheelbase Range - Flat Top Surface

Flush Mounted or Recessed

Shown: YA12NX
12,000 lbs. capacity

True Up / Down Movement
20% More Work Area
and Better Lift Access!

12,000 lb. Capacity

- 33% faster speed of rise
- Hydraulic cylinder, locking mechanism and position sensor are protected inside and under the runways

Call for additional details on Rotary lifts!

LUBRICATION PRODUCTS

Your single source for all lubrication equipment!

Gates Industrial Hose

GRACO

UNILUBE SYSTEMS Ltd.

The Complete System for Fast Lube

Oil Storage Tanks

Made to your specifications in our Denver manufacturing facility.

Pictured are 250 gallon tank in two configurations

UL Listed tanks Double and Single Wall

All tanks F.O.B. Denver, Colorado Warehouse • Add 2" in height for legs • If tank is for Used Oil, a High Level tank monitor is recommended • Double wall dimensions vary slightly from single wall

Single Wall UL-142 Cube Lube Tanks

Graco Pumps & Accessories

24G576 LD Series 3:1

Affordable and full featured LD series is designed for lower volume applications.

246775 Fireball 225 3:1

Introducing Graco's classic Fire-Ball design in a NEW 3:1 package!

203876 Fireball 300 5:1

This pump has been the "crown jewel" of Graco since the 1950s and is the pump of choice in the most demanding environments.

Graco

AIR DIAPHRAGM PUMPS

- 3/8" D31255 7 GPM
- 3/4" 241906 15 GPM
- 1" 647016 50 GPM

RHINO TUFF TANKS LLC

Square Stackable Rhino Tuff Tanks are available in 4 individual sizes including 80, 120, 180, and 240 gallons. All tank sizes can be stacked with each other, in any combination, without the use of any converting brackets. Rhino Tuff Tanks have been tested by a third party testing laboratory for dynamic compression, internal pressure and stack test evaluations. Tanks are designed to be placed on our factory designed HD Universal Tank Stand (sold separately) or flat surface.

RTT6222 Package - Pictured

Includes complete stand with drip tray kit, release valves, hoses, and three 120 gallon tanks!

Available for immediate shipment.

Heavy Duty & High Quality

HPM33B 35' OIL
HPM65B 50' OIL

GRACO



LDM5

256215 — Rigid Extension
258693 — Flexible Extension

- Electronic
- Lightweight

- Electronic
- Presetable

SDM5

255350 — Rigid Extension
255348 — Flexible Extension

Services and installation available — 800-525-8888

TIRE CHAINS

Largest stock of tire chains in the Rocky Mountain Area!

All sizes and types available!

Laclede™ Tire Chains

TIRE SIZES Single mount				Dual Mount		Stock Number
8.25-15LT	P265/75R16	255/60R17	245/70R17.5			
10-15LT	245/85R16LT	P255/70R17	P255/70R18			
265/70R15LT	265/70R16LT	P265/65R17	275/55R18			3210R
265/75R15LT	265/75R16LT	P265/70R17	P275/60R18			
305/50R15	265/80R16LT	265/70R17LT	225/70R19.5			
31X10.50-15LT	275/70R16LT	275/65R17	245/70R19.5			
33X10.50-15	295/50R16LT	235/75R17.5				
P265/70R16	245/75R17LT					
PR78-15	PR78-16	34X9-16	285/65R18LT			
11-15LT	12-16.5LT	31X10.50-16.5LT	285/45R19			
31X11.50-15LT	P285/60R16	285/60R17	275/60R20			
32X11.50-15LT	275/65R16LT	285/70R17	P285/50R20			3227R
33X9.50-15LT	285/60R16LT	305/45R17				
33X13.50-15	32X11.50-16LT	P265/60R18				
34X9.50-15LT	33X13.50-16	285/60R18				
285/75R16LT	265/70R18	275/70R18LT				3228R
31X12.50-16	275/65R18					
12-15LT	11L16	33X12.5-16.5	33X13-18			
P315/70R15	285/70R16LT	33X15.5-16.5	275/65R20LT			
325/60R15	295/75R16LT	275/70R17	305/50R20			
31X13.5-15	305/70R16LT	285/75R17LT	305/55R20			3229R
32X12.50-15	305/85R16LT	295/70R17LT	285/50R22			
33X12.50R15	315/75R16LT	305/70R17	33X11.5-22			
33X14-15	35X12.5-16	33X12.50-17	285/55R20LT			
33X14.50-15	35X13.5-16	10.50/80R18	32X11.50-20			
35X12.50-15	36X13-16	285/75R18LT				
35X14.5-15	32X12.50-16.5LT	325/60R18				
QR78-15	38X13-16	345/55R17	325/65R18			
35X13.5-15	35X12.50-16.5	35X12.50-17	325/60R20			
37X13-15	38X12.50-16.5	37X12.50-17	35X12.50-20			3231R
345/55R16LT	315/70R17LT	305/60R18	325/50R22LT			
37X12.50-16	325/70R17	305/70R18LT	35X12.5-22			
35X14-15	35X14-16	37X12.5-16.5	37X13.5-17			
36X12.50-15	36X12.5-16.5	38X15.5-16.5	14-17.5			3235R
37X13.50-15	36X14-16.5	355/70R17LT	285/70R19.5			
35X15-15	35X16-15	38.5X14.5-15	365/65R16	7.00-15TR	7-17.5	
35X15.5-15	36X14.5-15	38.5X15-15		6.50-16LT		3237R
37x14.50-15	38x14.50-16	40X17-16.5	37x13.50-22			
39.5X15-15	325/80R16	355/65R18		7.50-15LT	7.00-16LT	
40X17-15	39.5X15-16.5	37x13.50-20		7.50-15TR	7.00-17	3251R
355/80R20	13-22.5	15-22.5	385/65R22.5			3255R
42X15-16.5	38X13.5-20	335/80R-18		7.00-18	6.50-20	
355/60R20				8-19.5	7-22.5	3259R
18-22.5	445/65R22.5					3261R
38.5X16-15	39.5X15-16	39.5X18-16.5	15-19.5	7.50-17		
39.5X18-15	38.5X16-16	38X15.5-18	38X15.50-20	7.00-20		3265R
445/50R22.5	455/55R22.5					3269R
445/65R19.5	16.5-22.5	425/65R22.5				3271R

Wide Base Truck Cam Chains

Dual Truck Chains

DUO Tractor Chains

Tire Sizes					Stock No.
9.5-24	9.5-28	11.2-24			DUO214
9.5-32	11.2-28	230/95R32	355/80R20		DUO226
10.5/80-18	12-16.5	280/70R20	300/70R20	315/75D15	DUO225
12.4-24					DUO229
9.5-36	9.5-38	11.2-32	12.4-28		DUO218
11.2-38	11.2-44	12.4-36	12.4-38	270/95R44	DUO232
13.9-36	320/85R34				DUO242
13.6-24	13.6-26	14.9-24			DUO240
14.9-26					DUO250
14.9-28	14.9-30				DUO252
13.6-28	16.9-24	320/85R38	340/85R28	380/85R34	DUO260
14.9-38	15.5-38	320/90R46			DUO254
17.5-24	17.5L-24				DUO263
16.9-26	16.9-28	420/85R28			DUO262
16.9-32					DUO266
16.9-34	230/95R44				DUO270
18.4-16.1	21.5L-16.1				DUO264
18.4-24	19.5L-24				DUO268
16.9-30	18.4-26	18.4-28	18.4-30	540/65R30	
550/65R25	600/65R28				DUO271
18.4-34	480/85R34	600/65R25			DUO273
16.9-38	18.4-38	20.8-34	380/90R50	420/80R46	
460/85R34	480/80R38				DUO272
18.4-42	18.4-46	380/90R54	480/80R46		DUO277
21L-24					DUO275
20.8-38					DUO276
24.5-32	23.1-34	28.1-34	620/70R42	650/75R32	DUO282

Passenger Car
No. 29110
Trucks Nos 29925
& 29229

Truck
No. 6032

Grader
No. 6304

Tire Chain Adjusters

Ascot No.	Mfg. No.	Description	Qty.
458-29110	29110	Passenger Car - Rubber	2 per bag
458-29225	29225	Light Truck - Rubber	2 per bag
458-29229	29229	Heavy Truck - Rubber	2 per bag
458-06302	6302	Light Truck - Spring	1 pair per container
458-06304	6304	Tractor/Grader - Spring	1 pair per container

LG Cam Series Available

Tire Sizes			Tire Chain Stock No.
13.00-24/25	14.00-20/21	15.5-25	2612
14.00-24	14.00-25		2615
16.00-20/21	17.5-25		2624
16.00-24	16.00-25		2627
20.5-25			2633
18.00-25	18.00-24	18.00-26	2636
18.00-33			2642
23.5-25			2645
26.5-25	755/70R25	30.5R32	2657
710/70R38		800/65R32	

AUTOSOCK - A NEW AND EASY TO USE INNOVATIVE TRACTION SOLUTION

AutoSock is the high tech solution to an age old problem—how to give road tires the grip they need on ice and snow to...get you home!

AutoSock—textile wheel covers with an elasticated edge: you just slip them over the driving wheels when you find yourself getting stuck. ("Yes—it really is this easy" and "Yes, of course they work!") Be prepared for the winter by carrying a set of AutoSock in your car, happy in the knowledge that

- Fitting them is easy. If you can pull a sock over your foot you can push a fabric cover over a wheel
- They weigh less than 1kg and take up minimal space.
- It's sensible to keep them with the spare wheel, always ready for use
- They're reusable again and again—providing value for money for years to come.
- They work!

Each set includes:

One pair of AutoSock

Long gloves

User manual

Storage bag

Showroom displays available for truck or auto.

Call Today!

800-525-8888

More information at www.autosock.us

Autosock is recognized worldwide. Approved by 13 OE manufacturers including Mercedes, Toyota and Honda. Over a million pair have been sold. Unlike tire chains, Autosocks are compatible with electronic traction and stability devices.



DATE: Dec 06 2007	**AIR TEMP.:** -7°C/25°F	**TIRE SIZE:** 205/55 R16	**INFLATION FA:** 3.0 bar	**TEST VEHICLE:** Pontiac FWD
LOCATION: Loveland Pass	**CONDIT.:** Dry snow, cloudy	**ABS:** on	**INFLATION RA:** 3.0 bar	**TEST SURFACE:** Packed Snow

Truck AutoSock now approved as an alternative traction device to tire chains by CDOT*.

**(Visit CDOT website for details.)*



DATE: Dec 06 2007	**AIR TEMP.:** -7°C/25°F	**TIRE SIZE:** 295/70 R22.5	**INFLATION FA:** 8.0 bar	**TEST VEHICLE:** Peterbelt
LOCATION: Loveland Pass	**CONDIT.:** Dry snow, cloudy	**ABS:** on	**INFLATION RA:** 8.0 bar	**TEST SURFACE:** Packed Snow

Test performed to European önorm standards.

Now approved in Washington as a chain alternative for cars!

JET TIRE REPAIR MATERIALS

Premium Quality Chemical Vulcanizing Rubber Patches — Value Pricing!

Jet Radial Repairs - Passenger and Light Truck

JET Center-Over-Injury Repairs are designed for use in all radial tires. The Jet Radial Repair is intended for use in HOT or COLD applications. Jet Radial Repairs are designed for use in the crown, sidewall and shoulder of radial tires. Install with Jet Fast Dry Vulcanizing Cement. Refer to the Jet Repair Chart for proper selection of the repair unit. Always fill the injury channel with the appropriate Jet repair material.

Radial Repair Units

Repair Unit	Size		Qty/Box
	Inch	mm	
JR110	2 3/4 x 2	70 x 50	10
JR110R	3 1/4 x 2 3/8	80 x 60	10
JR112	4 3/8 x 2 1/2	110 x 65	10
JR114	5 3/4 x 3	145 x 75	10
JR120	5 x 3	125 x 75	10
JR122	6 7/8 x 2 3/8	175 x 80	10
JR124	8 1/4 x 3 3/8	210 x 85	10
JR126	10 1/4 x 3	260 x 75	10

Fast Dry Vulcanizing Cement

JET Fast Dry Vulcanizing Cement is formulated to provide outstanding performance when used with JET Repair Materials.

McGee #	Description	Size
1702J	Fast Dry Vulcanizing Cement (Flammable)	8 fl. oz.
1704J	Fast Dry Vulcanizing Cement (Flammable)	32 fl. oz

Pre-Buff Cleaner

JET Pre-Buff Cleaner is formulated to remove contaminants and silicone from the innerliner of the tire prior to buffing.

McGee #	Description	Size
1722J	Cleaner (Flammable)	32 fl oz
1721	Pre-Buff Cleaner (Aerosol)	16 fl oz

NAIL HOLE REPAIR - Chemically Laminated

Tube Repair Unit - Circular All Rubber Patch, Poly Back

Repair Unit	Size		Qty/Box
	Inch	mm	
JTC45	1 3/4 dia	45 dia	40
JTC55	2 1/8 dia	55 dia	40
JTC75	3 dia	75 dia	25
JTC100	4 dia	100 dia	10

JTC - Circular

Universal repairs - nail hole injuries in crown area only. Techno cushion gum for max adhesion!

Bias or Radial — Universal Repair Units - Square

JAS45R	1 3/4 sq	45 sq	30
JAS45R300	1 3/4 sq	45 sq	300
JAS55R	2 1/8 sq	55 sq	30
JAS55R300	2 1/8 sq	55 sq	300

JASR - Square

Bias or Radial — Universal Repair Units - Circular

JAC45R	1 3/4 dia	45 dia	40
JAC45R300	1 3/4 dia	45 dia	300
JAC55R	2 1/8 dia	55 dia	40
JAC55R300	2 1/8 dia	55 dia	300
JAC75R	3 dia	75 dia	25

JACR - Circular

Bead Sealer

JET Bead Sealer provides a seal between the bead area of the tire and rim, assisting in the prevention of leaks caused by minor surface imperfections.

McGee #	Description	Size
1732J	Bead Sealer	32 fl. oz.

Innerliner Overbuff Sealant

Designed to resore air retention qualities to the buffed innerliner around the repair after installations. It can be used in both COLD and HOT vulcanizing systems.

McGee #	Description	Size
1742J	Innerliner Sealer	16 fl. oz.

Additional Jet products available — Call for details!

Contents >>

13 AIR SYSTEMS

Compressor Selection Guide ____ 15
Building an Efficient Air System ____ 16
Air Compressors & Dryers ____ 17
Nitrogen Tire Filling Systems ____ 27
Air Preparation Accessories ____ 29
Filters, Regulators & Lubricators ____ 30
Air Hoses, Hose Reels & Hose Products ____ 33
Air Line Couplers, Plugs & Accessories ____ 37

45 AIR TOOLS

Impact Wrenches (Chicago Pneumatic) ____ 47
Ascot Air Tools ____ 52
Sanders & Air Ratchets (CP) ____ 54
Tire Buffers, Needle Scalers and Cut-Off Tools (CP) ____ 56
Surface Conditioning Discs & Grinders (CP) ____ 57
Drills (CP) ____ 58
Air Tool Accessories ____ 59
Impact Wrenches (Ingersoll-Rand) ____ 60
Air Hammers, Needle Scalers & Die Grinders (IR) ____ 64
Finishing Tools & Air Drills (IR) ____ 65
Cordless Tools (IR) ____ 66
Air Tool Accessories (IR) ____ 67
Work Stations ____ 68

69 WHEEL SERVICE PRODUCTS

Impact Socket Sets ____ 70
Individual Impact Sockets ____ 73
Torque Wrenches & Torque Accessories ____ 75
Wheel Checks ____ 82
Wheel Centering Products ____ 83
Lug Nut Removal Products ____ 85
Wheel Attaching Hardware ____ 87
Tire & Wheel Service Tools ____ 91

Contents (Cont.) >>

95 LIFTING EQUIPMENT

Portable Bottle Jacks ____ 97
Service Jacks ____ 100
Jack Stands ____ 107
Specialty Jacks ____ 110
Transmission Jacks ____ 112
Wheel Dollies ____ 116
Vehicle Stands & Accessories ____ 119
Hydraulic Shop Presses ____ 120
Heavy Duty Equipment ____ 121

123 TIRE & WHEEL SERVICE

Tire Lubricants & Sealants ____ 125
Markers ____ 130
Tire Branders ____ 131
Bead Breakers ____ 132
Hydraulic Pumps ____ 136
Hydraulic Rams & Accessories ____ 137
OTR Service Tools & Accessories ____ 138
Cribbing Sets ____ 140
Bead Seating Devices ____ 142
Beadkeepers ____ 145
Chloride Pumps ____ 146
Tire Irons ____ 147
Lock Ring Tools ____ 150
Hammers & Wedges ____ 151
Wrenches & Lug Wrenches ____ 154
Tire Changers ____ 157
Inflation Systems & Accessories ____ 158
Safety Inflation Cages & Accessories ____ 159

165 VALVE HARDWARE

TPMS Best Practices ____ 169
TPMS Relearn Chart ____ 170
TPMS Sensor Activation Tools ____ 171
TPMS Accessories & Kits ____ 175
Redi-Sensor Accessories ____ 178
TPMS Tools & Accessories ____ 179
Banded TPMS Systems ____ 183
TPMS Transmitters ____ 184
TPMS Retrofit Kits, Trailer System ____ 188
Training & Promotional Materials ____ 189
Tubeless Tire Valves (Passenger) ____ 191
Tubeless Tire Valves (Truck) ____ 192
Specialty Valves ____ 193
Valve Caps, Cores & Extensions ____ 196
Special Application Products ____ 199
Air/Liquid/Agricultural Valves ____ 200
Large Bore Valves ____ 201
Super Large Bore Valves ____ 205
Large Bore Extensions ____ 207
Z-Bore Valve System ____ 208
PT Valve System ____ 209
Valve Hardware Tools ____ 210
Tire Gauges ____ 211
Air Chucks ____ 217
Inflator Gauges ____ 221

223 SERVICE EQUIPMENT

Passenger Tire Changers ____ 224
Passenger & Light Truck Tire Changers ____ 228
Tire Changer Accessories ____ 232, 239
Heavy Duty Tire Changers ____ 236
Wheel Balancers ____ 240
Wheel Balancer Accessories ____ 245
Brake Lathes ____ 252
Brake Lathe Accessories, Adapters & Tools ____ 255
Lifts & Work Stations ____ 264

ASCOT SUPPLY CORPORATION

Contents (Cont.) >>

271 WHEEL BALANCING SUPPLIES

Passenger Car Wheel Weights _____ 273
Truck Wheel Weights _____ 282
Adhesive Wheel Weights _____ 285
Wheel Weight Kits _____ 291
Wheel Weight Tools _____ 294
Tire Balancing Compounds _____ 296

301 ALIGNMENT

EZ-Shims™, EZ-CAM™ XR Camber Kits _ 302
Passenger Car Alignment Accessories __ 303
Light Truck/SUV Camber/Caster Sets __ 304
Camber/Caster Tools & Accessories ___ 311
Heavy Duty Truck Alignment _____ 313
Alignment Tools & Systems _____ 317

321 AUTO & FLEET SERVICE EQUIPMENT

Battery Chargers, Starters & Testers ___ 322
Exhaust Hoses & Tailpipe Adapters ____ 324
Exhaust Removal & Rail System _____ 325
Bench Grinders & Shop Vises _____ 326
Pliers & Screwdrivers _____ 327
Shop Cleaners & Brushes _____ 328
Shop Lights & Service Stickers _____ 330
Tire Displays, Racks & Carts _____ 331
Interior Protection Products _____ 334
Floor Mats, Key Tags & Tire Labels ____ 336
Stud Guns & Studding Equipment _____ 337
Fluid Pumps _____ 338
Drains & Grease Guns _____ 339
Waste Oil Drains _____ 340
Oil Accessories _____ 343
Safety Products _____ 344
Mechanics Gloves _____ 346

Contents (Cont.) >>

347 FLUID EXCHANGE

Refrigerant Handling Systems _____ **348**
Fluid Exchangers & Flushers _____ **350**
Fluid Exchange Accessories _____ **351**
A/C & Coolant System Accessories ____ **352**

353 TIRE REPAIR MATERIALS

Tire Repair Cabinet & Kits _____ **355**
Cements, Sealants & Patches _____ **356**
Thermopress & Extruders _____ **374**
Monaflex Tire Repair System _____ **375**
Air Buffers & Drills _____ **376**
Tire Repair Tools & Accessories _____ **378**
Tire Spreaders & Repair Stations _____ **387**

391 RETREADING

Rasp Blades & Spacers _____ **392**
Retread Accessories _____ **397**
Retread Consumables _____ **400**
Tire Appearance _____ **401**
Envelopes _____ **402**
Retread Related Items _____ **404**

MEASUREMENT CONVERSION CHART __ 405

ALPHABETICAL INDEX _____ 406

NUMERIC INDEX _____ 416

Ascot Supply Corp. is not responsible for inadvertent typographical errors or omissions.

- Tire and Rim Servicing can be dangerous, and should be done by trained personnel using proper tools and procedures. The Occupational Safety and Health Administration has a safety standard for the servicing of single-piece and multi-piece rim wheels (OSHA std 29 CFR 1910.177) to include requirements for the safe servicing of rims used on passenger, truck, trailers, buses and off-road vehicle equipment. Properly trained personnel should perform all tire servicing. Failure to comply with these procedures as well as procedures recommended by Tire Manufacturers and Wheel and Rim Manufacturers may result in faulty positioning of the tire and or rim and may cause the assembly to burst with explosive force sufficient to cause serious physical injury or death.
- The sole intent of this catalog is to aid the Ascot Distributors and their customers in the resale of automotive related parts. This catalog, or any part thereof, may not be reproduced in any form without written consent from Ascot Supply Corp.
- Ascot and the "Ascot Logo" are marks of Ascot Supply Corporation. The products in this catalog are manufactured for distributors of Ascot Supply Corp. and their customers.
- Caution and Warning statements appear throughout this catalog. Use of products in this catalog contrary to specifications and directions may result in personal injury and/or property damage.
- WARRANTY DISCLAIMER: Ascot Supply Corp. has made a diligent effort to illustrate and describe the products in this catalog accurately; however, illustrations, photos and descriptions are for the sole purpose of identification and do not express or imply a warranty that the products are merchantable, or fit for a particular purpose, or that the products will necessarily conform to the illustrations, photos or descriptions. Ascot Supply Corporation or its Distributors make no warranty or affirmation of fact, express or implied.
- Lead is harmful if ingested. Wash thoroughly after handling and before eating, drinking or smoking. Keep away from children and pets.
- O.S.H.A. HAZARDOUS SUBSTANCE AND CALIFORNIA PROPOSITION 65 PRODUCT INFORMATION: Material Data Safety Sheets for products containing OSHA defined hazardous substances and a list of products known to the state of California to cause cancer, birth defects, or other reproductive harm are available upon request from Ascot Supply Corp.
- Ascot Supply Corp. disclaims all express and implied warranties, including the implied warranties of merchantability and fitness for a particular purpose. Ascot Supply Corp. also disclaims liability for personal injury, property damage or consequential damages.
- IMPORTANT: Snap-In passenger valve stems are safe for tire pressures up to a maximum of 60 psi (cold tire pressure) and for a maximum rim thickness of .156" (3.96mm). If greater pressure or rim thickness is required, metal clamp-in valve stems are recommended.
- Ascot Supply Corp. Does Not recommend "temporary" tire repairs. All repairs should perform the function of filling or replacing the injured section as recommended by the RMA and other industry associations.
- Always wear eye protection when using air tools, wheels, cups and rasps.
- Warning: Always wear safety goggles when using striking or struck tools. Never use one hammer to strike another hammer. Never use a striking tool with a loose or damaged handle. Discard any striking or struck tool if it shows dents, cracks, chips or mushrooming.
- CAUTION: Use all chemicals and cements in a well ventilated area. Avoid prolonged breathing or inhalation of vapors.
- For best results, check tire pressure when tires are cold or when the vehicle has not been driven for several hours. Readings taken after prolonged driving at high speeds will increase tire pressure causing a false reading. Check tire pressure at least once a week or as necessary.